

### **OMAN: Birding the Arabian Peninsula**

Monday 6th - Saturday 18th November 2023 (Muscat to Salalah)

**3 Wise Birding Clients** Leader: Dave Astins

### **HIGHLIGHTS OF TRIP:**

**Omani Owl:** A bird in the Al Hajar mountains was voted as 'bird of the trip' Having not seen or heard it on our first attempt, expectation wasn't particularly high, especially as Dave had never seen the species on 5 previous attempts! A switch of location, still conditions, and a patient approach was rewarded with both male and female calling, and the male seen well for several minutes on a wadi cliff above us. **Desert Owl:** This species was voted 2<sup>nd</sup> best bird of the trip, in another remote wadi, this time in the south. We weren't overly optimistic as a large group from the Netherlands arrived at the same spot, but a quick discussion and agreement for cooperation was soon reached, and Wise Birding took the lead with the strategy. We were soon rewarded with brilliant views of a calling male, and spirits were again high as we made our way out of a magical wadi with a sky full of stars shining down on us.



**Waders at Barr al Hikman & Sur Masirah:** The wader capital of the Middle East did not disappoint. A flock of over 400 Crab-Plovers at Sur Masirah on Masirah Island in stunning light was a real highlight, as was picking out at least 20 tricky Great Knot at Filim on the mainland opposite. Throw in hundreds of thousands of estuarine birds, including Tibetan Sand Plover, Greater Sand Plover, and Broad-billed Sandpiper, and you have an experience not to be missed.

**Mirbat Pelagics:** No trip to Oman is complete without a pelagic on the Arabian Sea from Mirbat with Hatem. So good, we went twice! A superb list of seabirds including the key targets of Persian Shearwater and Jouanin's Petrel, with a supporting cast including Masked Booby, Red-billed Tropicbird, and Bridled Tern.

**Arabian Golden-winged Grosbeak**: we finally saw this magical bird on our last day, visiting a well known drinking pool. A great way to finish the trip!





### **Tour Summary**

This was Wise Birding's first tour to Oman and it was such a successful tour it is already in the schedule and fully booked for 2024. This was a 12-night one-way tour, driving from Muscat in the north to Salalah in the south. We ended with 6 nights at a single base in Salalah, which was perfect and a contrast after a fair amount of travelling and 4 different hotels in the first 6 days.

The diversity of habitats and birds in Oman is really special. The group enjoyed birding in varied locations including the Al Hajar mountains in the north at over 2,000m, remote wadis, desert oases on the edge of the Empty Quarter, the unique habitats and birds of Dhofar in the south, Masirah Island and the vast wader haven atBarr al Hikman. Plus a pelagic trip into the Arabian Sea from Mirbat.

After meeting at Muscat International Airport, we eased ourselves into birding with a few sites in and around Muscat, where we became familiar with northern Oman specialities including Indian Roller, Purple Sunbird and Red-wattled Lapwing. We then headed south-west to Nizwa and our base for 2 nights, on the south side of the Al Hajar mountains. A day on the Sayq Plateau, and 2 night-time visits to wadis, produced some exciting and specialist birds including Omani Owl, Pallid Scops Owl, Hume's Wheatear and Lappet-faced Vulture.

The next area to be explored was south and east down the coast. Two great sites adjacent to each other: Barr al Hikman and Masirah Island. The latter is not often on bird tour itineraries, but has some excellent birding and can deliver the unexpected. Highlights on this trip included Brahminy Starling, Asian Koel, and over 400 Crab-Plovers. On the mainland, Barr al Hikman again delivered with hundreds of thousands of shorebirds, including the main targets, Great Knot and Broad-billed Sandpiper.

A range of desert sites further south delivered some superb birding and some unexpected rarities, including Forest Wagtail, Lanner Falcon, Grey Hypocolius, Nile Valley Sunbird, African Collared Dove, 3 species of Sandgrouse, Oriental Turtle Dove and Sociable Lapwing.

Our final destination was Salalah, the centre of the Dhofar region and host to a wonderful range of birds, many of them hard to find anywhere else in Arabia. Most sites were less than an hour from our hotel so more birding and less driving in the second half of the tour. Highlights in Dhofar included Desert Owl, Arabian Goldenwinged Grosbeak, Yemen Serin, Verreaux's Eagle, Arabian Eagle-Owl, Arabian Scops Owl, Pheasant-tailed Jacana and Small Pratincole.

Whilst based in Salalah we took a pelagic trip out of Mirbat with Hatem, where we recorded an excellent list of seabirds. These included Persian Shearwater, Jouanin's Petrel, Masked Booby, Red-billed Tropicbird and Bridled Tern. On our final day we took a second pelagic with Hatem hoping for Swinhoe's Storm-Petrel, sadly we were unsuccessful but did add a new species in the form of Flesh-footed Shearwater.

Everyone really enjoyed this trip, the length of the trip was perfect and the birding was relaxed, enjoyable and exciting!

We recorded a total of 225 species of bird, 4 mammals and 5 reptiles.

### SUMMARY OF DAILY ACTIVITIES

DAY	DATE	ITINERARY / HIGHLIGHTS DAY BY DAY
1	Monday 6 November	Meet up in <b>Muscat</b> in the morning and spend a few hours birding local sites, before heading south-west to <b>Birkat al Mouz</b> . Purple Sunbird, Delicate Prinia, Lappet-faced Vulture and Plain Leaf Warbler. <b>Overnight Nizwa</b>
2	Tuesday 7 November	Al Jabal al Akhdar: Hume's & Red-tailed Wheatear, Striolated Bunting. Wadi al Muaydin: Sand Partridge. Near Nizwa: Omani Owl, Pallid Scops Owl. Overnight Nizwa
3	Wednesday 8 November	Morning drive <b>Nizwa</b> to <b>Mahout</b> . Afternoon <b>Barr al Hikman</b> : Crab-Plover, waders, terns, herons. Ferry to <b>Masirah Island</b> . <b>Overnight Masirah Island</b>
4	Thursday 9 November	Masirah Island all day: Crab-Plover, Pintail Snipe, Booted Warbler, Asian Koel, Brahminy Starling. Overnight Masirah Island
5	Friday 10 November	Masirah Island first thing: White-cheeked Tern. Barr al Hikman: Great Knot, Broad- billed Sandpiper, Terek Sandpiper. Haima: Forest Wagtail, Upcher's Warbler. Al Ghaftain: Menetries's Warbler. Overnight Al Ghaftain
6	Saturday 11 November	Muntasar Oasis: Spotted Sandgrouse, Bluethroat, Red-breasted Flycatcher. Qitbit: Rosy Starling, Great Grey Shrike. Al Beed Farms: Greater Hoopoe-Lark, Black-crowned Sparrow-Lark. Shisr Farms: Sociable Lapwing, Cream-coloured Courser, Pallid Harrier, Oriental Turtle Dove. Overnight Thumrait
7	Sunday 12 November	<ul> <li>Mudayy: Grey Hypocolius, Nile Valley Sunbird, African Collared Dove, Lanner</li> <li>Falcon, Crowned and Chestnut-bellied Sandgrouse.</li> <li>Thumrait Tip: Eastern Imperial Eagle, Steppe Eagle. Al Saadah Park: Crested</li> <li>Honey Buzzard, Grey-headed Kingfisher, Long-legged Buzzard. Overnight Salalah</li> </ul>
8	Monday 13 November	Salalah area: Medium Egret, Arabian Sunbird, Ruppell's Weaver, African Paradise Flycatcher, Diederik Cuckoo. <b>Raysut:</b> Spur-winged Lapwing, Abdim's Stork. Al Mughsayl: Brown & Lesser Noddy, Brown Booby, Red-knobbed Coot, Desert Owl. Overnight Salalah
9	Tuesday 14 November	Mirbat Pelagic: Persian Shearwater, Jouanin's Petrel, Red-billed Tropicbird, Masked Booby. Atair Sink Hole: Bonelli's Eagle, Palestine Sunbird. Jabal Samhan: Verreaux's Eagle, Arabian Partridge, Arabian Wheatear. Ayn Hamran: Arabian Scops Owl Overnight Salalah
10	Wednesday 15 November	Salalah: Singing Bush Lark, Spotted Thick-Knee, Small Pratincole, Pheasant-tailed Jacana, Socotra Cormorant. Overnight Salalah
11	Thursday 16 November	Taqah: Forbes-Watson's Swift. Atair Sink Hole: Yemen Serin. Wadi Kheesh: Pied Cuckoo, Arabian Warbler. Ayn Tobruk: Namaqua Dove, Black- crowned Tchagra. Ayn Razat: Bruce's Green Pigeon. Overnight Salalah
12	Friday 17 November	Ayn Tobruk: Arabian Golden-winged Grosbeak. Ayn Razat: Arabian Eagle-Owl. Ayn Hamran: Long-billed Pipit. Mirbat pelagic: Flesh-footed Shearwater, Brown Noddy. Overnight Salalah
13	Saturday 18 November	Transfer to Salalah Airport and onward flights to Muscat and then London.

# The following photos were all taken by Wise Birding leader Dave Astins, unless labelled otherwise.














WISE BIRDING HOLIDAYS LTD - OMAN: Birding the Arabian Peninsula November 2023






















Red-billed Tropicbird by John Bruce
































#### **Conservation Donation:**

## Following this tour to Oman, £150 was transferred to the Wise Birding Holiday's central conservation fund.

To try and make a bigger difference to conservation we pool the donations from most of our tours into one central fund. Once a target amount has been reached this money will be used to support a single project in the hope of achieving more for species conservation. Currently this amounts to over £10,000. However, we do still donate money to support smaller conservation projects that we believe still benefit from smaller donations. Please visit www.wisebirding.co.uk to find out more.



# **Wise Birding Holidays Ltd**

3, Moormead, Budleigh Salterton, DEVON, EX9 6QA

Website: Facebook: Email: Telephone:

www.wisebirding.co.uk www.facebook.com/wisebirdingholidays chris@wisebirding.co.uk 07973 483227 **The following bird checklist** follows the nomenclature and classification from Gill F, D Donsker & P Rasmussen (Eds). 2024. **IOC World Bird List** (v14.1).

The IOC World Bird List complements three other primary world bird lists that differ slightly in their primary goals & taxonomic philosophy: Clements Checklist of the Birds of the World, The Howard & Moore Complete Checklist of the Birds of the World, 4th Edition & HBW Alive/Bird Life International. **The mammal checklist** mostly follows the IUCN framework (Red List) but also the Global Biodiversity Information Facility (GBIF) www.gbif.org and Handbook of The Mammals of the

**Birds** The eBird Trip Report for this tour can be found <u>HERE</u>.



#### **Total number of birds recorded: 225 species**

Garganey	Spatula querquedula
1 at Hilf on 9 <sup>th</sup> and several at the ne	arby sewage works.
Northern Shoveler	Spatula clypeata
Recorded at Raysut settling pools, I	East Khor and Hilf sewage works.
Eurasian Wigeon	Mareca Penelope
7 at East Khor on 15th and 17th.	
Mallard	Anas platyrhynchos
5 at Hilf sewage works on 5th, 2 at F	Raysut settling pools on 13 <sup>th</sup> .
Northern Pintail	Anas acuta
1-2 seen at East Khor, Raysut settli	ng pools, Hilf sewage works, and Qurum Natural Park.
Eurasian Teal	Anas crecca
Up to 20 seen at five locations, inclu	uding 1 in the desert at Al Ghaftain on 10th.
Tufted Duck	Aythya fuligula
11 at Hilf sewage works on 11th, 7 a	t West Khor on 7 <sup>th</sup> .
Grey Francolin	Francolinus pondicerianus
Introduced to Oman. 4 Qurum Natu	ral Park on 6 <sup>th</sup> .
Sand Partridge	Ammoperdix heyi
Subspecies intermedius occurs. 3 V	Vadi al Muaydin on 7th, 2 Wadi Ashawq on 13th, 8 Atair Sink
Hole on 16 <sup>th</sup> .	
Arabian Partridge	Alectoris melanocephala
6 at Atair Sink Hole on 16th, 1 at Wa	di Kheesh also on 16 <sup>th</sup> .

European Nightjar	Caprimulgus europaeus
1 at Ayn Razat at dusk on 16 <sup>th</sup> .	
Alpine Swift	Tachymarptis melba
5 at Ayn Razat on 17 <sup>th</sup> .	
Pallid Swift	Apus pallidus
	rum Natural Park on 6th was the only bird seen well enough to
be sure of this species. Many other species or Forbes-Watson's Swift A	'pale/intermediate' swifts were seen that were either this
Forbes-Watson's Swift	Apus berliozi
At least 20 birds visiting a colony at	•
Little Swift	Apus affinis
1 at Ayn Hamran on 13 <sup>th</sup> .	- <b>/</b>
Jacobin Cuckoo	Clamator jacobinus
Subspecies <i>jacobinus</i> occurs. 2 at V	-
Asian Koel	Eudynamys scolopaceus
A male and female/immature at AI S	
Diederik Cuckoo	Chrysococcyx caprius
A male at Any Razat on 13 <sup>th</sup> .	
Common Cuckoo	Cuculus canorus
1 at Hilf on 9 <sup>th</sup> .	
	Pterocles exustus
· · · · · · · · · · · · · · · · · · ·	imated 450 at Mudayy on 12 <sup>th</sup> , and 40 flew over Al Saadah
Park (Salalah) on 15 <sup>th</sup> .	
Spotted Sandgrouse	Pterocles senegallus
85 at Muntasar Oasis on 11 <sup>th</sup> .	
Crowned Sandgrouse	Pterocles coronatus
Subspecies <i>saturates</i> occurs. 19 at	
Rock Dove	Columba livia
Feral birds recorded in widespread	
European Turtle Dove	Streptopelia turtur
1 at Shisr Fields on 11 <sup>th</sup> .	
Oriental Turtle Dove	Streptopelia orientalis
2 of the subspecies meena at Shisr	
Eurasian Collared Dove	Streptopelia decaocto
Recorded at a number of sites, espe	
African Collared Dove	Streptopelia roseogrisea
Subspecies <i>arabica</i> occurs. 2 Muda	
Laughing Dove	Spilopelia senegalensis
	ecorded in widespread areas, especially in the south.
Namaqua Dove	Oena capensis
-	t settling pool on 13 <sup>th</sup> , and 2 at Ayn Tobruk junction on 16 <sup>th</sup> .
Bruce's Green-Pigeon	Treron waalia
•	ed on $15^{\text{th}}$ , 5 at Ayn Razat on $16^{\text{th}}$ and 10 there on $17^{\text{th}}$ .
Common Moorhen	Gallinula chloropus
	ilf sewage works, East Khor, West Knor, and Ayn Razat.

Eurasian Coot	Fulica atra
2 at Khor Mughsayl on 13 <sup>th</sup> , up to 6	
Red-knobbed Coot	<i>Fulica cristata</i>
3 at Khor Mughsayl on 13 <sup>th</sup> .	
Little Grebe	Tachybaptus ruficollis
Seen at Raysut settling pools, East	
Greater Flamingo	Phoenicopterus roseus
-	East Khor, Khor Raysut, Khor Mughsayl and Barr Al Hikman.
Spotted Thick-knee	Burhinus capensis
Subspecies <i>dodsoni</i> occurs. 8 at Al	•
Eurasian Oystercatcher	Haematopus ostralegus
Recorded from Shannah, Sur Masira	
Black-winged Stilt	Himantopus Himantopus
0	, Hilf, East Khor, Raysut settling pools, and Taqah.
Spur-winged Lapwing	Vanellus spinosus
2 at Raysut settling pools on 13 <sup>th</sup> .	
Red-wattled Lapwing	Vanellus indicus
• •	on 6 <sup>th</sup> , 30 at Qurum Natural Park on 6 <sup>th</sup> , 12 at Raysut settling
pools on 13 <sup>th</sup> , 5 at Sahnawt Farm or	· · ·
Sociable Lapwing	Vanellus gregarious
14 at Shisr Farms 11 <sup>th</sup> .	
Pacific Golden Plover	Pluvialis fulva
30 at Seeb Beach Park on 6th, 1 at E	East Khor on 15 <sup>th</sup> .
Grey Plover	Pluvialis squatarola
Recorded at 7 sites including Shann	ah, Sur Masirah and Filim.
Common Ringed Plover	Charadrius hiaticula
2 near Muscat International Airport of	on 6 <sup>th</sup> , 1 at Taqah on 17 <sup>th</sup> .
Little Ringed Plover	Charadrius dubius
2 at Hilf sewage works on 9th.	
Kentish Plover	Charadrius alexandrines
Widespread including Muscat, Shan	nah, Sur Masirah, Salalah. Around 100 birds at Al Beed Farms
was notable.	
Tibetan Sand Plover	Anarhynchus altifrons
Subspecies pamirensis occurs. See	n in pretty much all coastal and wetland habitats, especially
numerous at Filim, Shannah, Masira	h (the wider Barr Al Hikman area). 10 inland at Al Beed Farms
with Kentish Plover Charadrius alex	andrines was notable.
Greater Sand Plover	Charadrius leschenaultia
Subspecies scythicus occurs. Again	recorded at widespread locations usually in the same areas as
Tibetan Sand Plover Anarhynchus a	Itifrons.
Pheasant-tailed Jacana Hydropha	isianus chirurgus
1 on a temporary wetland near Wes	t Khor on 15 <sup>th</sup> , another at West Khor later the same day.
Eurasian Whimbrel	Numenius phaeopus
Recorded from Qurum Natural Park	, Sir Masirah and Filim.
Eurasian Curlew	Numenius phaeopus
Subspecies orientalis occurs. Recor	ded from Shannah, Sur Masirah, Filim and Khor Mughsayl.

Der teiled Cedwit	Limooo lonnonioo
Bar-tailed Godwit	Limosa lapponica
Black-tailed Godwit	cluding several thousand at Filim on 10 <sup>th</sup> . <i>Limosa limosa</i>
	, also recorded at Knor Mughsayl and West Khor.
Ruddy Turnstone	Arenaria interpres
Recorded in Muscat, Shannah and	-
Great Knot	Calidris tenuirostris
At least 20 at Filim on 10th.	
Ruff	Calidris pugnax
Recorded from 7 sites, max. 60 at S	
Broad-billed Sandpiper	Calidris falcinellus
2 at Filim on 10 <sup>th</sup> .	
Curlew Sandpiper	Calidris ferruginea
Recorded at Shannah, Hilf and Filin	-
Temminck's Stint	Calidris temminckii
Between 1 and 3 recorded at Musca	
Terek Sandpiper	Xenus cinereus
• •	ah on 9 <sup>th</sup> , 30 at Filim on 10 <sup>th</sup> , and 12 at Khor Raysut on 15 <sup>th</sup> .
Sanderling	Calidris alba
•	al at Shannah on 8 <sup>th</sup> , and 1 at Tagah on 17 <sup>th</sup> .
Dunlin	Calidris alpina
Recorded at widespread sites include	•
Little Stint	Calidris minuta
	Asirah and smaller numbers at coastal sites in Dhofar.
Pin-tailed Snipe	Gallinago stenura
Up to 6 birds at Hilf on 9th, and a sin	•
Common Snipe	Gallinago gallinago
•	on $6^{\text{th}}$ , 4 at Hilf on $9^{\text{th}}$ , and 2 at East Khor on $13^{\text{th}}$ .
Red-necked Phalarope	Phalaropus lobatus
•	Paysut settling pools on 13 <sup>th</sup> , 1 at East Knor on 15 <sup>th</sup> , and 100+
on the 2 Mirbat pelagics on 14 <sup>th</sup> and	
Common Sandpiper	Actitis hypoleucos
	n small numbers, especially in the south.
Green Sandpiper	Tringa ochropus
• •	cluding Hilf, East Khor and Ayn Hamran.
Common Redshank	Tringa tetanus
	st Khor, Khor Raysut and Barr Al Hikman.
Marsh Sandpiper	Tringa stagnatilis
1 at Hilf sewage works on 9th, 2 nea	
Wood Sandpiper	Tringa glareola
• •	, East Khor and Raysut settling pools.
Common Greenshank	Tringa nebularia
	generally small numbers, including Muscat, Barr Al Hikman,
and East Khor.	
Crab-plover	Dromas ardeola
15 at Shannah on 8 <sup>th</sup> , around 400 a	

Cream-coloured Courser	
50 at Shisr Farms on 11th, 1 at Ayn	
Small Pratincole	Glareola lactea
3 at a temporary wetland near West	
Brown Noddy	Anous stolidus
	Mughsayl on 13 <sup>th</sup> , 1 from the Mirbat pelagic on 17 <sup>th</sup> .
Lesser Noddy	Anous tenuirostris
1 off Al Mughsayl on 13 <sup>th</sup> .	
Bridled Tern	Onychoprion anaethetus
-	id on 10 <sup>th</sup> , around 50 off Al Mughsayl on 13 <sup>th</sup> , 31 from Mirbat
pelagic on 14 <sup>th</sup> , and around 100 from	
Little Tern	Sternula albifrons
	ll numbers (up to 10) including Shannah, Sur Masirah, East
Khor and Mirbat pelagic.	
Gull-billed Tern	Gelochelidon nilotica
	near West Khor and at Khor Raysut.
Caspian Tern	Hydroprogne caspia
	10 but with a max. of 25 at Khor Raysut on 15 <sup>th</sup> .
Whiskered Tern	Chlidonias hybrida
	flocks were 30 at Khor Mughsayl on 13th and 50 at Sahnawt
Farm on 15 <sup>th</sup> .	
White-winged Tern	Chlidonias leucopterus
1-3 seen at 5 sites in both Muscat a	
Common Tern	Sterna hirundo
•	h ferry crossing, East Khor and Mirbat pelagic.
White-cheeked Tern	Sterna repressa
1 in the harbour at Hilf as we left for	
Sandwich Tern	Thalasseus sandvicensis
	Shannah, Sur Masirah and from the Masirah ferry.
Lesser Crested Tern	Thalasseus bengalensis
<b>v</b> ,	mall numbers, but a flock of 50 at Sur Masirah on 9 <sup>th</sup> .
Greater Crested Tern	Thalasseus bergii
-	astal areas, including recently fledged chicks, max. 20 off Al
Qurum beach on 6 <sup>th</sup> .	
Slender-billed Gull	Chroicocephalus genei
Widespread and numerous in all co	
Sooty Gull	Ichthyaetus hemprichii
-	astal locations, especially on Masirah, Mirbat and Salalah.
Caspian Gull	Larus cachinnans
-	Harbour on 17 <sup>th</sup> , and another 2 from the pelagic that
•	sent in the larger flocks of Lesser Black-backed Gulls, but they
do not appear to be numerous.	
Lesser Black-backed Gull	Larus fuscus
	despread being heuglini and barabensis (very similar to the
	ad and numerous in all coastal areas. We did not pick out any
certain <i>fuscus</i> .	

Pad billed Traniabird	Phaethon aethereus
Red-billed Tropicbird	
Race <i>indicus</i> occurs. 6 from the Mirk Persian Shearwater	
	Puffinus persicus
	on 17 <sup>th</sup> , 17 from the Mirbat pelagic on 14 <sup>th</sup> and around 60 from
the Mirbat pelagic on 17 <sup>th</sup> .	
Flesh-footed Shearwater	Ardenna carneipes
1 from the Mirbat pelagic on 17 <sup>th</sup> .	
Jouanin's Petrel	Bulweria fallax
Approximately 50 birds from the Mirk	
Abdim's Stork	Ciconia abdimii
29 at Shisr Farms on 11 <sup>th</sup> , around 20 and 30 there on 17 <sup>th</sup> .	00 at Raysut settling pools on 13th, 35 in Mirbat harbour on 14th
White Stork	Ciconia Ciconia
41 at Shisr Farms on 11th, 60 at Ray	sut settling pools on 13th, and 2 at Tawi Atair on 16th.
Brown Booby	Sula leucogaster
4 close inshore from Al Mughsayl on	13 <sup>th</sup> .
Masked Booby	Sula dactylatra
6 from the Mirbat pelagic on 14 <sup>th</sup> .	
Socotra Cormorant	Phalacrocorax nigrogularis
10 from the Mirbat Pelagic on 14th, a	around 500 off Khor Raysut on 15 <sup>th</sup> , 1 from Tagah on 16 <sup>th</sup> with
50 off there on 17th, 100 off East Kho	
Great Cormorant	Phalacrocorax carbo
	een Shannah and Hilf from the ferry crossing.
Glossy Ibis	Plegadis falcinellus
•	ist Khor where there were up to 400, and at nearby Sahnawt
Farm where there were 100 on 15 <sup>th</sup> .	
Eurasian Spoonbill	Platalea leucorodia
-	nannah on 8th, and 2 at Khor Mughsayl on 13th.
Black-crowned Night-Heron	Nycticorax nycticorax
-	Khor Mughsayl on 13 <sup>th</sup> and 1 at Al Baleed on 15 <sup>th</sup> .
Little Egret	Egretta garzetta
1-2 seen at widespread locations in	
Western Reef Heron	Egretta gularis
Widespread in coastal locations, hur	
Striated Heron	Butorides striata
2 in Mirbat Harbour on 14 <sup>th</sup> .	Butonues Sinala
	Ardeola ralloides
Squacco Heron	
	astal locations, up to 12 at East Khor.
Indian Pond Heron	Ardeola grayii
	Shannah on 8 <sup>th</sup> , 1 at Hilf on 9 <sup>th</sup> , and 1-2 at East Khor 13 <sup>th</sup> -17 <sup>th</sup> .
Western Cattle Egret	Bubulcus ibis
	Hilf, Raysut, Sahnawt Farm and near West Khor.
Great Egret	Ardea alba
Recorded in Muscat, at Shannah, Su	
Medium Egret	Ardea intermedia
1 at East Khor 13 <sup>th</sup> -17 <sup>th</sup> .	

Grey Heron	Ardea cinerea
Seen at widespread coastal location	
Purple Heron	Ardea purpurea
2 at East Khor on $13^{\text{th}}$ , 1 on $15^{\text{th}}$ .	
Osprey	Pandion haliaetus
	ations, including East Khor, Khor Raysut, Shannah and Sur
Masirah.	alone, molading East raior, raior rayout, chaiman and car
Egyptian Vulture	Neophron percnopterus
A total of 12 seen on Masirah Island	on 9 <sup>th</sup> .
Crested Honey Buzzard	Pernis ptilorhynchus
1 at Qurum Natural Park on 6th, 1 at	Al Shamkaiah Park (Hilf) on 9th, 1 at Al Saadah Park (Salalah)
on 12th, and 2 in central Salalah on	15 <sup>th</sup> .
Griffon Vulture	Gyps fulvus
1 at Mudayy on 12 <sup>th</sup> .	
Lappet-faced Vulture	Torgos tracheliotos
2 at Wadi al Muaydin on 6th, and 2 a	t Al Jebel Al Akhdar on 7 <sup>th</sup> (quite possibly the same 2).
Short-toed Snake-eagle	Circaetus gallicus
1 at Raysut settling pools on 13th, 2	near Atair Sink Hole on 14th, 2 at Jabal Samhan on 14th, 1 near
Atair Sink Hole on 16th, and 1 at Ayr	n Razat on 17 <sup>th</sup> .
Greater Spotted Eagle	Clanga clanga
1-2 birds seen at East Khor, Sahnav	vt Farm, Al Baleed, West Khor and Khor Raysut (all Salalah).
Booted Eagle	Hieraaetus pennatus
1 at Wadi Kheesh on 16 <sup>th</sup> .	
Steppe Eagle	Aquila nipalensis
3 near Muscat International Airport of	on 3 <sup>rd</sup> , around 200 at Thumrait waste disposal site on 12 <sup>th</sup> , and
singles at Raysut settling pools on 1	3 <sup>th</sup> , Atair Sink Hole on 14 <sup>th</sup> and 16 <sup>th</sup> , and Ayn Razat on 17 <sup>th</sup> .
Eastern Imperial Eagle	Aquila heliaca
1 at Mudday on 12th, Thumrait waste	e disposal site on 12th, Ayn Razat on 13th and Atair Sink Hole
on 14 <sup>th</sup> .	
Verreaux's Eagle	Aquila verreauxii
2 at Jabal Samhan on 14 <sup>th</sup> .	
Bonelli's Eagle	Aquila fasciata
2 at Atair Sink Hole on 14th, and 2 at	Jabal Samhan on 14 <sup>th</sup> .
Eurasian Sparrowhawk	Accipiter nisus
1 at Ayn Razat on 13th, 1 at Al Saad	ah Park (Salalah) on 15 <sup>th</sup> .
Western Marsh Harrier	Circus aeruginosus
1-2 recorded at a number of sites in	cluding Shannah, Sur Masirah and Al Mughsayl. 10 at Shisr
Farms on 11 <sup>th</sup> .	
Hen Harrier	Circus cyaneus
1 at Al Balid Farms on 11 <sup>th</sup> .	
Pallid Harrier	Circus macrourus
1 at Shisr Farms on 11 <sup>th</sup> .	
Montagu's Harrier	Circus pygargus
2 at Shisr Farms on 11 <sup>th</sup> .	
Long-legged Buzzard	Buteo rufinus
1 at Al Saadah Park (Salalah) on 12	<sup>th</sup> , 1 at Ayn Razat on 13 <sup>th</sup> .

Dellid Coore Oud	Otros havesi
Pallid Scops Owl 1 at a wadi in the Al Hajar Mountains	Otus brucei
Arabian Scops Owl	Otus pamelae
5 at Ayn Hamran on 14 <sup>th</sup> , 2 at Ayn R	-
Arabian Eagle-Owl	Bubo milesi
1 at Ayn Razat on 17 <sup>th</sup> .	
Desert Owl	Strix hadorami
2 at Wadi Ashawq on 6 <sup>th</sup> .	
Omani Owl	Strix butleri
A male and female at a wadi in the A	
Eurasian Hoopoe	Upupa epops
5 at Ayn Hamran on 13 <sup>th</sup> .	
Indian Roller	Coracias benghalensis
	Muscat on 6 <sup>th</sup> , with several at Qurum Natural Park and 2 at
Wadi al Muaydin on the same date,	
European Roller	Coracias garrulus
-	, Ayn Hamran, Ayn Razat and Wadi Kheesh.
Grey-headed Kingfisher	Halcyon leucocephala
, 0	Oman. 2 at Al Saadah Park (Salalah) on 12 <sup>th</sup> with 1 there on
15 <sup>th</sup> , 1 at Ayn Hamran on 13 <sup>th</sup> .	
Common Kingfisher	Alcedo atthis
2 at Hilf on 9 <sup>th</sup> , 2 at Filim on 10 <sup>th</sup> .	
Arabian Green Bee-eater	Merons cvanonhrvs
Arabian Green Bee-eater Subspecies muscatensis occurs in r	<i>Merops cyanophrys</i> orthern Oman, <i>cyanophrys</i> in southern Oman, 2 in Muscat
Subspecies muscatensis occurs in r	orthern Oman, cyanophrys in southern Oman. 2 in Muscat
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a	orthern Oman, <i>cyanophrys</i> in southern Oman. 2 in Muscat and 4 at Qurum Natural Park on the same day, 2 at Mudayy on
Subspecies muscatensis occurs in r	orthern Oman, <i>cyanophrys</i> in southern Oman. 2 in Muscat and 4 at Qurum Natural Park on the same day, 2 at Mudayy on
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a 12 <sup>th</sup> and 2 at Sahnawt Farm on 15 <sup>th</sup> . <b>Blue-cheeked Bee-eater</b>	Northern Oman, <i>cyanophrys</i> in southern Oman. 2 in Muscat and 4 at Qurum Natural Park on the same day, 2 at Mudayy on <i>Merops persicus</i>
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a 12 <sup>th</sup> and 2 at Sahnawt Farm on 15 <sup>th</sup> . <b>Blue-cheeked Bee-eater</b> Subspecies <i>persicus</i> occurs. Good r	Merops persicus numbers of birds on the move especially in the Salalah area,
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a 12 <sup>th</sup> and 2 at Sahnawt Farm on 15 <sup>th</sup> . <b>Blue-cheeked Bee-eater</b> Subspecies <i>persicus</i> occurs. Good r e.g. 12 Ayn Razat on 13 <sup>th</sup> and 30 at	northern Oman, <i>cyanophrys</i> in southern Oman. 2 in Muscat and 4 at Qurum Natural Park on the same day, 2 at Mudayy on <i>Merops persicus</i> numbers of birds on the move especially in the Salalah area, East Khor on 15 <sup>th</sup> .
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a 12 <sup>th</sup> and 2 at Sahnawt Farm on 15 <sup>th</sup> . <b>Blue-cheeked Bee-eater</b> Subspecies <i>persicus</i> occurs. Good r	Merops persicus numbers of birds on the move especially in the Salalah area,
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a 12 <sup>th</sup> and 2 at Sahnawt Farm on 15 <sup>th</sup> . <b>Blue-cheeked Bee-eater</b> Subspecies <i>persicus</i> occurs. Good r e.g. 12 Ayn Razat on 13 <sup>th</sup> and 30 at <b>Eurasian Wryneck</b>	northern Oman, <i>cyanophrys</i> in southern Oman. 2 in Muscat and 4 at Qurum Natural Park on the same day, 2 at Mudayy on <i>Merops persicus</i> numbers of birds on the move especially in the Salalah area, East Khor on 15 <sup>th</sup> .
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a 12 <sup>th</sup> and 2 at Sahnawt Farm on 15 <sup>th</sup> . <b>Blue-cheeked Bee-eater</b> Subspecies <i>persicus</i> occurs. Good r e.g. 12 Ayn Razat on 13 <sup>th</sup> and 30 at <b>Eurasian Wryneck</b> 1 at Atair Sink Hole on 16 <sup>th</sup> . <b>Common Kestrel</b>	Anorthern Oman, <i>cyanophrys</i> in southern Oman. 2 in Muscat and 4 at Qurum Natural Park on the same day, 2 at Mudayy on <i>Merops persicus</i> numbers of birds on the move especially in the Salalah area, East Khor on 15 <sup>th</sup> . <i>Jynx torquilla</i> <i>Falco tinnunculus</i>
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a 12 <sup>th</sup> and 2 at Sahnawt Farm on 15 <sup>th</sup> . <b>Blue-cheeked Bee-eater</b> Subspecies <i>persicus</i> occurs. Good r e.g. 12 Ayn Razat on 13 <sup>th</sup> and 30 at <b>Eurasian Wryneck</b> 1 at Atair Sink Hole on 16 <sup>th</sup> . <b>Common Kestrel</b>	northern Oman, <i>cyanophrys</i> in southern Oman. 2 in Muscat and 4 at Qurum Natural Park on the same day, 2 at Mudayy on <i>Merops persicus</i> numbers of birds on the move especially in the Salalah area, East Khor on 15 <sup>th</sup> . <i>Jynx torquilla</i>
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a 12 <sup>th</sup> and 2 at Sahnawt Farm on 15 <sup>th</sup> . <b>Blue-cheeked Bee-eater</b> Subspecies <i>persicus</i> occurs. Good r e.g. 12 Ayn Razat on 13 <sup>th</sup> and 30 at <b>Eurasian Wryneck</b> 1 at Atair Sink Hole on 16 <sup>th</sup> . <b>Common Kestrel</b> 2 at Al Jebel Al Akhdar on 7 <sup>th</sup> , numer	Anorthern Oman, <i>cyanophrys</i> in southern Oman. 2 in Muscat and 4 at Qurum Natural Park on the same day, 2 at Mudayy on <i>Merops persicus</i> numbers of birds on the move especially in the Salalah area, East Khor on 15 <sup>th</sup> . <i>Jynx torquilla</i> <i>Falco tinnunculus</i>
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a 12 <sup>th</sup> and 2 at Sahnawt Farm on 15 <sup>th</sup> . <b>Blue-cheeked Bee-eater</b> Subspecies <i>persicus</i> occurs. Good r e.g. 12 Ayn Razat on 13 <sup>th</sup> and 30 at <b>Eurasian Wryneck</b> 1 at Atair Sink Hole on 16 <sup>th</sup> . <b>Common Kestrel</b> 2 at Al Jebel Al Akhdar on 7 <sup>th</sup> , numer Tawi Atair on 16 <sup>th</sup> .	northern Oman, <i>cyanophrys</i> in southern Oman. 2 in Muscat and 4 at Qurum Natural Park on the same day, 2 at Mudayy on <i>Merops persicus</i> numbers of birds on the move especially in the Salalah area, East Khor on 15 <sup>th</sup> . <i>Jynx torquilla</i> <i>Falco tinnunculus</i> rous at both Shisr Farms and Al Balid Farms on 11 <sup>th</sup> , and 1 at
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a 12 <sup>th</sup> and 2 at Sahnawt Farm on 15 <sup>th</sup> . <b>Blue-cheeked Bee-eater</b> Subspecies <i>persicus</i> occurs. Good r e.g. 12 Ayn Razat on 13 <sup>th</sup> and 30 at <b>Eurasian Wryneck</b> 1 at Atair Sink Hole on 16 <sup>th</sup> . <b>Common Kestrel</b> 2 at Al Jebel Al Akhdar on 7 <sup>th</sup> , numer Tawi Atair on 16 <sup>th</sup> . <b>Eurasian Hobby</b>	northern Oman, <i>cyanophrys</i> in southern Oman. 2 in Muscat and 4 at Qurum Natural Park on the same day, 2 at Mudayy on <i>Merops persicus</i> numbers of birds on the move especially in the Salalah area, East Khor on 15 <sup>th</sup> . <i>Jynx torquilla</i> <i>Falco tinnunculus</i> rous at both Shisr Farms and Al Balid Farms on 11 <sup>th</sup> , and 1 at
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a 12 <sup>th</sup> and 2 at Sahnawt Farm on 15 <sup>th</sup> . <b>Blue-cheeked Bee-eater</b> Subspecies <i>persicus</i> occurs. Good r e.g. 12 Ayn Razat on 13 <sup>th</sup> and 30 at <b>Eurasian Wryneck</b> 1 at Atair Sink Hole on 16 <sup>th</sup> . <b>Common Kestrel</b> 2 at Al Jebel Al Akhdar on 7 <sup>th</sup> , numer Tawi Atair on 16 <sup>th</sup> . <b>Eurasian Hobby</b> 1 at Sahnawt Farm on 15 <sup>th</sup> .	And 4 at Qurum Natural Park on the same day, 2 at Mudayy on Merops persicus numbers of birds on the move especially in the Salalah area, East Khor on 15 <sup>th</sup> . Jynx torquilla Falco tinnunculus rous at both Shisr Farms and Al Balid Farms on 11 <sup>th</sup> , and 1 at Falco subbuteo Falco biarmicus
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a 12 <sup>th</sup> and 2 at Sahnawt Farm on 15 <sup>th</sup> . <b>Blue-cheeked Bee-eater</b> Subspecies <i>persicus</i> occurs. Good r e.g. 12 Ayn Razat on 13 <sup>th</sup> and 30 at <b>Eurasian Wryneck</b> 1 at Atair Sink Hole on 16 <sup>th</sup> . <b>Common Kestrel</b> 2 at Al Jebel Al Akhdar on 7 <sup>th</sup> , numer Tawi Atair on 16 <sup>th</sup> . <b>Eurasian Hobby</b> 1 at Sahnawt Farm on 15 <sup>th</sup> . <b>Lanner Falcon</b>	And 4 at Qurum Natural Park on the same day, 2 at Mudayy on Merops persicus numbers of birds on the move especially in the Salalah area, East Khor on 15 <sup>th</sup> . Jynx torquilla Falco tinnunculus rous at both Shisr Farms and Al Balid Farms on 11 <sup>th</sup> , and 1 at Falco subbuteo Falco biarmicus
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a 12 <sup>th</sup> and 2 at Sahnawt Farm on 15 <sup>th</sup> . <b>Blue-cheeked Bee-eater</b> Subspecies <i>persicus</i> occurs. Good r e.g. 12 Ayn Razat on 13 <sup>th</sup> and 30 at <b>Eurasian Wryneck</b> 1 at Atair Sink Hole on 16 <sup>th</sup> . <b>Common Kestrel</b> 2 at Al Jebel Al Akhdar on 7 <sup>th</sup> , numer Tawi Atair on 16 <sup>th</sup> . <b>Eurasian Hobby</b> 1 at Sahnawt Farm on 15 <sup>th</sup> . <b>Lanner Falcon</b> Subspecies <i>tanypterus</i> occurs. 1 at 1	And 4 at Qurum Natural Park on the same day, 2 at Mudayy on Merops persicus numbers of birds on the move especially in the Salalah area, East Khor on 15 <sup>th</sup> . Jynx torquilla Falco tinnunculus rous at both Shisr Farms and Al Balid Farms on 11 <sup>th</sup> , and 1 at Falco subbuteo Falco biarmicus Mudayy on 12 <sup>th</sup> .
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a 12 <sup>th</sup> and 2 at Sahnawt Farm on 15 <sup>th</sup> . <b>Blue-cheeked Bee-eater</b> Subspecies <i>persicus</i> occurs. Good r e.g. 12 Ayn Razat on 13 <sup>th</sup> and 30 at <b>Eurasian Wryneck</b> 1 at Atair Sink Hole on 16 <sup>th</sup> . <b>Common Kestrel</b> 2 at Al Jebel Al Akhdar on 7 <sup>th</sup> , numer Tawi Atair on 16 <sup>th</sup> . <b>Eurasian Hobby</b> 1 at Sahnawt Farm on 15 <sup>th</sup> . <b>Lanner Falcon</b> Subspecies <i>tanypterus</i> occurs. 1 at 1	And 4 at Qurum Natural Park on the same day, 2 at Mudayy on Merops persicus humbers of birds on the move especially in the Salalah area, East Khor on 15 <sup>th</sup> . Jynx torquilla Falco tinnunculus rous at both Shisr Farms and Al Balid Farms on 11 <sup>th</sup> , and 1 at Falco subbuteo Falco biarmicus Mudayy on 12 <sup>th</sup> . Falco peregrinus
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a 12 <sup>th</sup> and 2 at Sahnawt Farm on 15 <sup>th</sup> . <b>Blue-cheeked Bee-eater</b> Subspecies <i>persicus</i> occurs. Good r e.g. 12 Ayn Razat on 13 <sup>th</sup> and 30 at <b>Eurasian Wryneck</b> 1 at Atair Sink Hole on 16 <sup>th</sup> . <b>Common Kestrel</b> 2 at Al Jebel Al Akhdar on 7 <sup>th</sup> , numer Tawi Atair on 16 <sup>th</sup> . <b>Eurasian Hobby</b> 1 at Sahnawt Farm on 15 <sup>th</sup> . <b>Lanner Falcon</b> Subspecies <i>tanypterus</i> occurs. 1 at 1 <b>Peregrine Falcon</b> Subspecies <i>pelegrinoides</i> occurs. 1	And A at Qurum Natural Park on the same day, 2 at Mudayy on Merops persicus numbers of birds on the move especially in the Salalah area, East Khor on 15 <sup>th</sup> . Jynx torquilla Falco tinnunculus rous at both Shisr Farms and Al Balid Farms on 11 <sup>th</sup> , and 1 at Falco subbuteo Falco biarmicus Mudayy on 12 <sup>th</sup> . Falco peregrinus at Sur Masirah on 9 <sup>th</sup> , 1 at Jabal Samhan on 14 <sup>th</sup> .
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a 12 <sup>th</sup> and 2 at Sahnawt Farm on 15 <sup>th</sup> . <b>Blue-cheeked Bee-eater</b> Subspecies <i>persicus</i> occurs. Good r e.g. 12 Ayn Razat on 13 <sup>th</sup> and 30 at <b>Eurasian Wryneck</b> 1 at Atair Sink Hole on 16 <sup>th</sup> . <b>Common Kestrel</b> 2 at Al Jebel Al Akhdar on 7 <sup>th</sup> , numer Tawi Atair on 16 <sup>th</sup> . <b>Eurasian Hobby</b> 1 at Sahnawt Farm on 15 <sup>th</sup> . <b>Lanner Falcon</b> Subspecies <i>tanypterus</i> occurs. 1 at 1 <b>Peregrine Falcon</b> Subspecies <i>pelegrinoides</i> occurs. 1	And A at Qurum Natural Park on the same day, 2 at Mudayy on Merops persicus humbers of birds on the move especially in the Salalah area, East Khor on 15 <sup>th</sup> . Jynx torquilla Falco tinnunculus rous at both Shisr Farms and Al Balid Farms on 11 <sup>th</sup> , and 1 at Falco subbuteo Falco biarmicus Mudayy on 12 <sup>th</sup> . Falco peregrinus at Sur Masirah on 9 <sup>th</sup> , 1 at Jabal Samhan on 14 <sup>th</sup> . Psittacula krameria
Subspecies <i>muscatensis</i> occurs in r near the International Airport on 6 <sup>th</sup> a 12 <sup>th</sup> and 2 at Sahnawt Farm on 15 <sup>th</sup> . <b>Blue-cheeked Bee-eater</b> Subspecies <i>persicus</i> occurs. Good r e.g. 12 Ayn Razat on 13 <sup>th</sup> and 30 at <b>Eurasian Wryneck</b> 1 at Atair Sink Hole on 16 <sup>th</sup> . <b>Common Kestrel</b> 2 at Al Jebel Al Akhdar on 7 <sup>th</sup> , numer Tawi Atair on 16 <sup>th</sup> . <b>Eurasian Hobby</b> 1 at Sahnawt Farm on 15 <sup>th</sup> . <b>Lanner Falcon</b> Subspecies <i>tanypterus</i> occurs. 1 at 1 <b>Peregrine Falcon</b> Subspecies <i>pelegrinoides</i> occurs. 1 <b>Rose-ringed Parakeet</b> Introduced. Recorded at Qurum Nat	And Y at Qurum Natural Park on the same day, 2 at Mudayy on Merops persicus humbers of birds on the move especially in the Salalah area, East Khor on 15 <sup>th</sup> . Jynx torquilla Falco tinnunculus rous at both Shisr Farms and Al Balid Farms on 11 <sup>th</sup> , and 1 at Falco subbuteo Falco biarmicus Mudayy on 12 <sup>th</sup> . Falco peregrinus at Sur Masirah on 9 <sup>th</sup> , 1 at Jabal Samhan on 14 <sup>th</sup> . Psittacula krameria ural Park, Mudayy, Sahnawt Farm and Al Baleed. Tchagra senegalus

Great Grey Shirike	Lanius excubitor
•	nternational Airport on 6th, the remainder were all <i>aucheri</i> with
	Motel, Shisr Fields, Mudayy and Ayn Hamran.
Isabelline Shrike	Lanius isabellinus
Subspecies isabellinus occurs. 1 at	Hilf sewage works on 9th, 1 at Sahnawt Farm and 1 at East
Khor on 15 <sup>th</sup> . Several additional first	-winter birds were either this species or Red-tailed Shrike
Lanius phoenicuroides.	
Red-backed Shrike	Lanius collurio
1 at Muntasar Oasis on 11th and 1 a	t Ayn Hamran on 13 <sup>th</sup> .
Red-tailed Shrike	Lanius phoenicuroides
1 at Al Jebel Al Akhdar on 7th, 1 at M	Iahout Park on 8th, 1 at Haima Park on 10th, 1 at Tawi Atair on
14th, and 1 at Mirbat on 17th.	
African Paradise Flycatcher	Terpsiphone viridis
-	azat, Al Saadah Park (Salalah), Atair Sink Hole and Wadi
Kheesh.	
House Crow	Corvus splendens
Common and widespread in both th	•
Brown-necked Raven	Corvus ruficollis
	n, through the central desert and the south, including Masirah,
Al Ghaftain and Thumrait waste disp Fan-tailed Raven	
	Corvus rhipidurus
Up to 50 at Atair Sink Hole on 16 <sup>th</sup> a	
Grey Hypocolius	Hypocolius ampelinus
1 at Mudayy on 12 <sup>th</sup> .	
Greater Hoopoe-Lark	Alaemon alaudipes
Subspecies <i>doriae</i> occurs. 1 Al Bali	
Desert Lark	Ammomanes deserti
-	yy on 12 <sup>th</sup> , 4 at Wadi Ashawq on 13 <sup>th</sup> .
Black-crowned Sparrow-Lark	Eremopterix nigriceps
•	Ip to 20 seen at Al Balid Farms, Shisr Fields, Ayn Razat, Wadi
Kheesh and Ayn Hamran.	
Singing Bush Lark	Mirafra cantillans
Subspecies <i>simplex</i> occurs. 3 at Sa	hnawt Farm on 15 <sup>th</sup> .
Crested Lark	Galerida cristata
1 Al Sawadi 30/10, 10 Al Balid Farm	is 1/11, present Shisr Farms 2/11, 3 near Jabal Samhan 4/11.
Greater Short-toed Lark	Calandrella brachydactyla
2 at Ayn Hamran on 17 <sup>th</sup> .	
Red-vented Bulbul	Pycnonotus cafer
1 at Seeb Beach Park on 6 <sup>th</sup> .	
White-eared Bulbul	Pycnonotus leucotis
Recorded at Qurum Natural Park, V	Vadi al Muaydin, Al Jebel Al Akhdar, Wadi Bani Habib and
Mahout Park.	
White-spectacled Bulbul	Pycnonotus xanthopygos
Widespread and numerous, especia	ally in the Al Hajar mountains and in the south e.g. Wadi al
Widespread and numerous, especia Muaydin, Ayn Razat, Atair Sink Hole	

Sand Martin	Pinaria rinaria
	<b>Riparia riparia</b> t Farm on 15 <sup>th</sup> and 2 at East Khor on 15 <sup>th</sup> .
Pale Crag Martin	<i>Ptyonoprogne obsoleta</i> at widespread sites in both north and south Oman.
Barn Swallow	Hirundo rustica
Up to 6 seen at 7 sites including Sha	
Wood Warbler	
	Phylloscopus sibilatrix
1 at Al Shamkaiah Park (Hilf) on 9 <sup>th</sup> . Yellow-browed Warbler	
1 at Wadi Bani Habib on 7th.	Phylloscopus inornatus
Plain Leaf Warbler	Phylloppanus poglastus
	Phylloscopus neglectus
•	nere on 7 <sup>th</sup> , 5 at Wadi Bani Habib on 7 <sup>th</sup> , 2 at Wadi Qtm on 7 <sup>th</sup> ,
and 1 at Al Shamkaiah Park (Hilf) or	
Common Chiffchaff	Phylloscopus collybita
	at widespread locations including Wadi Bani Habib, Al Ghaftain
and Mudayy. Clamorous Reed Warbler	Aaraaanhalua atantaraua
	Acrocephalus stentoreus
1-2 recorded at Filim, East Khor and Booted Warbler	-
	Iduna caligata
	and 1 at Ayn Tobruk junction on 16 <sup>th</sup> .
Upcher's Warbler	Hippolais languida
1 at Haima Park on 10 <sup>th</sup> .	Drinia gradila
Graceful Prinia	Prinia gracilis
-	erecorded at East Khor, Sahnawt Farm, Khor Raysut, near
West Khor and Ayn Tobruk junction.	
Delicate Prinia	Prinia lepida
· ·	Seeb Beach Park on 6 <sup>th</sup> , and 3 at Wadi al Muaydin on 6 <sup>th</sup> .
Lesser Whitethroat	Curruca curruca
• •	ords thought to be <i>halimodendri</i> . 1-8 birds seen at widespread
locations including Wadi Bani Habib	
Arabian Warbler	Curruca leucomelaena
-	at Ayn Razat on 13 <sup>th</sup> , 2 at Wadi Kheesh on 16 <sup>th</sup> .
Asian Desert Warbler	Curruca nana
1 at Wadi al Muaydin on 7th, 1 at Mu	
Menetries's Warbler	Curruca mystacea
	2 at Al Ghaftain on 10 <sup>th</sup> , 1 at Mudayy on 12 <sup>th</sup> .
Common Whitethroat	Curruca communis
1 at Shannah on 8 <sup>th</sup> , 1 at Muntasar (	
Abyssinian White-eye	Zosterops abyssinicus
•	s in the Dhofar foothills e.g. Ayn Razat, Wadi Kheesh, and Ayn
Hamran.	
	Acridotheres tristis
	eas both north and south, e.g. Salalah, Ayn Hamran, Qurum
Natural Park.	
Brahminy Starling	Sturnia pagodarum
1 at Al Shamkaiah Park (Hilf) and Hi	III sewage works on 9".

Rosy Starling	Pastor roseus
1 at Qitbit Motel on 11th, and 42 at S	
Tristram's Starling	Onychognathus tristramii
•	it and most sites around Salalah and east to Jabal Samhan.
Spotted Flycatcher	Muscicapa striata
• •	annah on 8th, 1 at Muntasar Oasis on 11th, 1 at Thumrait waste
disposal site on 12 <sup>th</sup> and 1 at Wadi I	
Bluethroat	
1 at Muntasar Oasis on 11th, 1 at Ay	
Red-breasted Flycatcher	Ficedula parva
•	1 at Al Ghaftain on 10 <sup>th</sup> , 3 at Muntasar Oasis on 11 <sup>th</sup> , and 1 at
Mudayy on 12 <sup>th</sup> .	
Black Redstart	Phoenicurus ochruros
	n Black Redstart) occurs. 5 at Al Jebel Al Akhdar on 7 <sup>th</sup> , 2 at
Wadi Bani Habib on 7th, and 1 at Qi	
Blue Rock Thrush	Monticola solitarius
1 at Wadi Al Muaydin on 6th and 1 a	
Isabelline Wheatear	Oenanthe isabelline
Hooded Wheatear	wt Farm, East Khor, Wadi Kheesh and Ayn Hamran. <i>Oenanthe monachal</i>
	Cenantile monachai
1 at Mudayy on 12 <sup>th</sup> . Desert Wheatear	Cononthe deserti
	Oenanthe deserti
Pied Wheatear	encountered, max. 15 at Shisr Farms on 11 <sup>th</sup> .
	Oenanthe pleschanka
1 at Al Jebel Al Akhdar on 7th.	
1 at Al Jebel Al Akhdar on 7 <sup>th</sup> . Blackstart	Oenanthe melanura
1 at Al Jebel Al Akhdar on 7 <sup>th</sup> . <b>Blackstart</b> Subspecies <i>neumanni</i> occurs. Up to	
1 at Al Jebel Al Akhdar on 7 <sup>th</sup> . <b>Blackstart</b> Subspecies <i>neumanni</i> occurs. Up to Kheesh.	<i>Oenanthe melanura</i> 9 8 recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi
1 at Al Jebel Al Akhdar on 7 <sup>th</sup> . <b>Blackstart</b> Subspecies <i>neumanni</i> occurs. Up to Kheesh. <b>Red-tailed Wheatear</b>	<i>Oenanthe melanura</i> 9 8 recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi <i>Oenanthe chrysopygia</i>
1 at Al Jebel Al Akhdar on 7 <sup>th</sup> . <b>Blackstart</b> Subspecies <i>neumanni</i> occurs. Up to Kheesh. <b>Red-tailed Wheatear</b> 1 at Wadi Al Muaydin on 6 <sup>th</sup> and 7 <sup>th</sup> ,	<i>Oenanthe melanura</i> 9 8 recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi <i>Oenanthe chrysopygia</i> 2 at Al Jebel Al Akhdar on 7 <sup>th</sup> .
1 at Al Jebel Al Akhdar on 7 <sup>th</sup> . <b>Blackstart</b> Subspecies <i>neumanni</i> occurs. Up to Kheesh. <b>Red-tailed Wheatear</b> 1 at Wadi Al Muaydin on 6 <sup>th</sup> and 7 <sup>th</sup> , <b>Hume's Wheatear</b>	<i>Oenanthe melanura</i> 9 8 recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi <i>Oenanthe chrysopygia</i>
<ol> <li>at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Blackstart</li> <li>Subspecies <i>neumanni</i> occurs. Up to Kheesh.</li> <li>Red-tailed Wheatear</li> <li>at Wadi Al Muaydin on 6<sup>th</sup> and 7<sup>th</sup>,</li> <li>Hume's Wheatear</li> <li>4 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> </ol>	<i>Oenanthe melanura</i> o 8 recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi <i>Oenanthe chrysopygia</i> 2 at Al Jebel Al Akhdar on 7 <sup>th</sup> . <i>Oenanthe albonigra</i>
<ol> <li>at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Blackstart</li> <li>Subspecies <i>neumanni</i> occurs. Up to Kheesh.</li> <li>Red-tailed Wheatear</li> <li>at Wadi Al Muaydin on 6<sup>th</sup> and 7<sup>th</sup>,</li> <li>Hume's Wheatear</li> <li>at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Arabian Wheatear</li> </ol>	<i>Oenanthe melanura</i> o 8 recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi <i>Oenanthe chrysopygia</i> 2 at Al Jebel Al Akhdar on 7 <sup>th</sup> . <i>Oenanthe albonigra</i> <i>Oenanthe lugentoides</i>
<ol> <li>at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Blackstart</li> <li>Subspecies <i>neumanni</i> occurs. Up to Kheesh.</li> <li>Red-tailed Wheatear</li> <li>at Wadi Al Muaydin on 6<sup>th</sup> and 7<sup>th</sup>,</li> <li>Hume's Wheatear</li> <li>4 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Arabian Wheatear</li> <li>Subspecies <i>boscaweni</i> occurs. 4 at</li> </ol>	<i>Oenanthe melanura</i> 5 8 recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi <i>Oenanthe chrysopygia</i> 2 at Al Jebel Al Akhdar on 7 <sup>th</sup> . <i>Oenanthe albonigra</i> <i>Oenanthe lugentoides</i> Wadi Ashawq on 13 <sup>th</sup> , 1 at Jabal Samhan on 14 <sup>th</sup> .
<ol> <li>at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Blackstart</li> <li>Subspecies <i>neumanni</i> occurs. Up to Kheesh.</li> <li>Red-tailed Wheatear</li> <li>at Wadi Al Muaydin on 6<sup>th</sup> and 7<sup>th</sup>,</li> <li>Hume's Wheatear</li> <li>at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Arabian Wheatear</li> <li>Subspecies <i>boscaweni</i> occurs. 4 at Nile Valley Sunbird</li> </ol>	<i>Oenanthe melanura</i> o 8 recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi <i>Oenanthe chrysopygia</i> 2 at Al Jebel Al Akhdar on 7 <sup>th</sup> . <i>Oenanthe albonigra</i> <i>Oenanthe lugentoides</i>
<ul> <li>1 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Blackstart</li> <li>Subspecies <i>neumanni</i> occurs. Up to Kheesh.</li> <li>Red-tailed Wheatear</li> <li>1 at Wadi Al Muaydin on 6<sup>th</sup> and 7<sup>th</sup>,</li> <li>Hume's Wheatear</li> <li>4 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Arabian Wheatear</li> <li>Subspecies <i>boscaweni</i> occurs. 4 at Nile Valley Sunbird</li> <li>3 at Mudayy on 12<sup>th</sup>.</li> </ul>	<ul> <li>Oenanthe melanura</li> <li>8 recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi</li> <li>Oenanthe chrysopygia</li> <li>2 at Al Jebel Al Akhdar on 7th.</li> <li>Oenanthe albonigra</li> <li>Oenanthe lugentoides</li> <li>Wadi Ashawq on 13th, 1 at Jabal Samhan on 14th.</li> <li>Hedydipna metallica</li> </ul>
<ul> <li>1 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Blackstart</li> <li>Subspecies <i>neumanni</i> occurs. Up to Kheesh.</li> <li>Red-tailed Wheatear</li> <li>1 at Wadi Al Muaydin on 6<sup>th</sup> and 7<sup>th</sup>,</li> <li>Hume's Wheatear</li> <li>4 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Arabian Wheatear</li> <li>Subspecies <i>boscaweni</i> occurs. 4 at</li> <li>Nile Valley Sunbird</li> <li>3 at Mudayy on 12<sup>th</sup>.</li> <li>Palestine Sunbird</li> </ul>	Oenanthe melanura a 8 recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi Oenanthe chrysopygia 2 at Al Jebel Al Akhdar on 7 <sup>th</sup> . Oenanthe albonigra Oenanthe lugentoides Wadi Ashawq on 13 <sup>th</sup> , 1 at Jabal Samhan on 14 <sup>th</sup> . Hedydipna metallica Cinnyris osea
<ul> <li>1 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Blackstart</li> <li>Subspecies <i>neumanni</i> occurs. Up to Kheesh.</li> <li>Red-tailed Wheatear</li> <li>1 at Wadi Al Muaydin on 6<sup>th</sup> and 7<sup>th</sup>,</li> <li>Hume's Wheatear</li> <li>4 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Arabian Wheatear</li> <li>Subspecies <i>boscaweni</i> occurs. 4 at Nile Valley Sunbird</li> <li>3 at Mudayy on 12<sup>th</sup>.</li> <li>Palestine Sunbird</li> <li>Subspecies <i>osea</i> occurs. 2 at Atair 4</li> </ul>	<ul> <li>Oenanthe melanura</li> <li>8 recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi</li> <li>Oenanthe chrysopygia</li> <li>2 at Al Jebel Al Akhdar on 7th.</li> <li>Oenanthe albonigra</li> <li>Oenanthe lugentoides</li> <li>Wadi Ashawq on 13th, 1 at Jabal Samhan on 14th.</li> <li>Hedydipna metallica</li> <li>Sink Hole on 14th, 1 at Wadi Kheesh on 16th.</li> </ul>
<ul> <li>1 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Blackstart</li> <li>Subspecies <i>neumanni</i> occurs. Up to Kheesh.</li> <li>Red-tailed Wheatear</li> <li>1 at Wadi Al Muaydin on 6<sup>th</sup> and 7<sup>th</sup>,</li> <li>Hume's Wheatear</li> <li>4 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Arabian Wheatear</li> <li>Subspecies <i>boscaweni</i> occurs. 4 at Nile Valley Sunbird</li> <li>3 at Mudayy on 12<sup>th</sup>.</li> <li>Palestine Sunbird</li> <li>Subspecies <i>osea</i> occurs. 2 at Atair 4</li> </ul>	<ul> <li>Oenanthe melanura</li> <li>8 recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi</li> <li>Oenanthe chrysopygia</li> <li>2 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Oenanthe albonigra</li> <li>Oenanthe lugentoides</li> <li>Wadi Ashawq on 13<sup>th</sup>, 1 at Jabal Samhan on 14<sup>th</sup>.</li> <li>Hedydipna metallica</li> <li>Sink Hole on 14<sup>th</sup>, 1 at Wadi Kheesh on 16<sup>th</sup>.</li> <li>Cinnyris hellmayri</li> </ul>
<ul> <li>1 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Blackstart</li> <li>Subspecies <i>neumanni</i> occurs. Up to Kheesh.</li> <li>Red-tailed Wheatear</li> <li>1 at Wadi Al Muaydin on 6<sup>th</sup> and 7<sup>th</sup>,</li> <li>Hume's Wheatear</li> <li>4 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Arabian Wheatear</li> <li>Subspecies <i>boscaweni</i> occurs. 4 at Nile Valley Sunbird</li> <li>3 at Mudayy on 12<sup>th</sup>.</li> <li>Palestine Sunbird</li> <li>Subspecies <i>osea</i> occurs. 2 at Atair 4</li> <li>Arabian Sunbird</li> <li>Subspecies <i>hellmayri</i> occurs. Recommended</li> </ul>	<ul> <li>Oenanthe melanura</li> <li>8 recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi</li> <li>Oenanthe chrysopygia</li> <li>2 at Al Jebel Al Akhdar on 7th.</li> <li>Oenanthe albonigra</li> <li>Oenanthe lugentoides</li> <li>Wadi Ashawq on 13th, 1 at Jabal Samhan on 14th.</li> <li>Hedydipna metallica</li> <li>Sink Hole on 14th, 1 at Wadi Kheesh on 16th.</li> </ul>
<ul> <li>1 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Blackstart</li> <li>Subspecies <i>neumanni</i> occurs. Up to Kheesh.</li> <li>Red-tailed Wheatear</li> <li>1 at Wadi Al Muaydin on 6<sup>th</sup> and 7<sup>th</sup>,</li> <li>Hume's Wheatear</li> <li>4 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Arabian Wheatear</li> <li>Subspecies <i>boscaweni</i> occurs. 4 at Nile Valley Sunbird</li> <li>3 at Mudayy on 12<sup>th</sup>.</li> <li>Palestine Sunbird</li> <li>Subspecies <i>osea</i> occurs. 2 at Atair 4</li> <li>Arabian Sunbird</li> <li>Subspecies <i>hellmayri</i> occurs. Record</li> <li>Razat on 13<sup>th</sup>.</li> </ul>	<ul> <li>Denanthe melanura</li> <li>8 recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi</li> <li>Denanthe chrysopygia</li> <li>2 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Denanthe albonigra</li> <li>Denanthe lugentoides</li> <li>Wadi Ashawq on 13<sup>th</sup>, 1 at Jabal Samhan on 14<sup>th</sup>.</li> <li>Hedydipna metallica</li> <li>Sink Hole on 14<sup>th</sup>, 1 at Wadi Kheesh on 16<sup>th</sup>.</li> <li>Cinnyris hellmayri</li> <li>rded at 5 sites in Dhofar where it is easy to see, max. 20 at Ayn</li> </ul>
<ul> <li>1 at Al Jebel Al Akhdar on 7th.</li> <li>Blackstart</li> <li>Subspecies neumanni occurs. Up to Kheesh.</li> <li>Red-tailed Wheatear</li> <li>1 at Wadi Al Muaydin on 6th and 7th,</li> <li>Hume's Wheatear</li> <li>4 at Al Jebel Al Akhdar on 7th.</li> <li>Arabian Wheatear</li> <li>Subspecies boscaweni occurs. 4 at Nile Valley Sunbird</li> <li>3 at Mudayy on 12th.</li> <li>Palestine Sunbird</li> <li>Subspecies osea occurs. 2 at Atair 4</li> <li>Arabian Sunbird</li> <li>Subspecies hellmayri occurs. Recond</li> <li>Razat on 13th.</li> <li>Purple Sunbird</li> </ul>	<ul> <li>Denanthe melanura</li> <li>8 recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi</li> <li>Denanthe chrysopygia</li> <li>2 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Denanthe albonigra</li> <li>Denanthe lugentoides</li> <li>Wadi Ashawq on 13<sup>th</sup>, 1 at Jabal Samhan on 14<sup>th</sup>.</li> <li>Hedydipna metallica</li> <li>Sink Hole on 14<sup>th</sup>, 1 at Wadi Kheesh on 16<sup>th</sup>.</li> <li>Cinnyris hellmayri</li> <li>rded at 5 sites in Dhofar where it is easy to see, max. 20 at Ayn</li> <li>Cinnyris asiaticu</li> </ul>
<ul> <li>1 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Blackstart</li> <li>Subspecies <i>neumanni</i> occurs. Up to Kheesh.</li> <li>Red-tailed Wheatear</li> <li>1 at Wadi Al Muaydin on 6<sup>th</sup> and 7<sup>th</sup>,</li> <li>Hume's Wheatear</li> <li>4 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Arabian Wheatear</li> <li>Subspecies <i>boscaweni</i> occurs. 4 at Nile Valley Sunbird</li> <li>3 at Mudayy on 12<sup>th</sup>.</li> <li>Palestine Sunbird</li> <li>Subspecies <i>osea</i> occurs. 2 at Atair 4</li> <li>Arabian Sunbird</li> <li>Subspecies <i>hellmayri</i> occurs. Record</li> <li>Razat on 13<sup>th</sup>.</li> <li>Purple Sunbird</li> <li>Subspecies <i>brevirostris</i> occurs. Record</li> </ul>	<ul> <li>Denanthe melanura</li> <li>8 recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi</li> <li>Denanthe chrysopygia</li> <li>2 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Denanthe albonigra</li> <li>Denanthe lugentoides</li> <li>Wadi Ashawq on 13<sup>th</sup>, 1 at Jabal Samhan on 14<sup>th</sup>.</li> <li>Hedydipna metallica</li> <li>Sink Hole on 14<sup>th</sup>, 1 at Wadi Kheesh on 16<sup>th</sup>.</li> <li>Cinnyris hellmayri</li> <li>rded at 5 sites in Dhofar where it is easy to see, max. 20 at Ayn</li> </ul>
<ul> <li>1 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Blackstart</li> <li>Subspecies <i>neumanni</i> occurs. Up to Kheesh.</li> <li>Red-tailed Wheatear</li> <li>1 at Wadi Al Muaydin on 6<sup>th</sup> and 7<sup>th</sup>,</li> <li>Hume's Wheatear</li> <li>4 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Arabian Wheatear</li> <li>Subspecies <i>boscaweni</i> occurs. 4 at Nile Valley Sunbird</li> <li>3 at Mudayy on 12<sup>th</sup>.</li> <li>Palestine Sunbird</li> <li>Subspecies <i>osea</i> occurs. 2 at Atair 4</li> <li>Arabian Sunbird</li> <li>Subspecies <i>hellmayri</i> occurs. Record</li> <li>Razat on 13<sup>th</sup>.</li> <li>Purple Sunbird</li> <li>Subspecies <i>brevirostris</i> occurs. Record</li> <li>Wadi Bani Habib on 7<sup>th</sup>.</li> </ul>	<ul> <li>Denanthe melanura</li> <li>B recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi</li> <li>Denanthe chrysopygia</li> <li>2 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Denanthe albonigra</li> <li>Denanthe lugentoides</li> <li>Wadi Ashawq on 13<sup>th</sup>, 1 at Jabal Samhan on 14<sup>th</sup>.</li> <li>Hedydipna metallica</li> <li>Sink Hole on 14<sup>th</sup>, 1 at Wadi Kheesh on 16<sup>th</sup>.</li> <li>Cinnyris osea</li> <li>Sink Hole on 14<sup>th</sup>, 1 at Wadi Kheesh on 16<sup>th</sup>.</li> <li>Cinnyris hellmayri</li> <li>rded at 5 sites in Dhofar where it is easy to see, max. 20 at Ayn</li> <li>Cinnyris asiaticu</li> <li>corded at 5 sites in the north where it is easy to see, max. 4 at</li> </ul>
<ul> <li>1 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Blackstart</li> <li>Subspecies <i>neumanni</i> occurs. Up to Kheesh.</li> <li>Red-tailed Wheatear</li> <li>1 at Wadi Al Muaydin on 6<sup>th</sup> and 7<sup>th</sup>,</li> <li>Hume's Wheatear</li> <li>4 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Arabian Wheatear</li> <li>Subspecies <i>boscaweni</i> occurs. 4 at Nile Valley Sunbird</li> <li>3 at Mudayy on 12<sup>th</sup>.</li> <li>Palestine Sunbird</li> <li>Subspecies <i>osea</i> occurs. 2 at Atair 4</li> <li>Arabian Sunbird</li> <li>Subspecies <i>hellmayri</i> occurs. Record</li> <li>Razat on 13<sup>th</sup>.</li> <li>Purple Sunbird</li> <li>Subspecies <i>brevirostris</i> occurs. Record</li> </ul>	<ul> <li>Denanthe melanura</li> <li>8 recorded at Mudayy, Ayn Razat, Atair Sink Hole, and Wadi</li> <li>Denanthe chrysopygia</li> <li>2 at Al Jebel Al Akhdar on 7<sup>th</sup>.</li> <li>Denanthe albonigra</li> <li>Denanthe lugentoides</li> <li>Wadi Ashawq on 13<sup>th</sup>, 1 at Jabal Samhan on 14<sup>th</sup>.</li> <li>Hedydipna metallica</li> <li>Sink Hole on 14<sup>th</sup>, 1 at Wadi Kheesh on 16<sup>th</sup>.</li> <li>Cinnyris osea</li> <li>Sink Hole on 14<sup>th</sup>, 1 at Wadi Kheesh on 16<sup>th</sup>.</li> <li>Cinnyris hellmayri</li> <li>rded at 5 sites in Dhofar where it is easy to see, max. 20 at Ayn</li> <li>Cinnyris asiaticu</li> <li>corded at 5 sites in the north where it is easy to see, max. 4 at</li> <li>Passer domesticus</li> </ul>

Ruppell's Weaver	Ploceus galbula	
Recorded at a number of sites in Dh	ofar, including Ayn Razat, Atair Sink Hole, Wadi Kheesh and	
Ayn Tobruk junction.		
African Silverbill	Euodice cantans	
-	ded at Mudayy, Ayn Razat, Wadi Kheesh, and Atair Sink Hole.	
Indian Silverbill	Euodice malabarica	
20 at Qurum Natural Park on 6th, 2 H	0	
Forest Wagtail	Dendronanthis indicus	
1 at Haima Park on 10 <sup>th</sup> .		
Western Yellow Wagtail	Motacilla flava	
1-3 seen at 7 sites including Shannah, East Khor and Hilf sewage works. All of the males seen		
were <i>beema</i> (Syke's).		
Citrine Wagtail	Motacilla citreola	
1 at Seeb Beach Park on 6 <sup>th</sup> , 1 at West Khor on 15 <sup>th</sup> .		
Grey Wagtail	Motacilla cinerea	
1 at Ayn Hamran on 13th, and 1 at Ay	yn Tobruk junction on 16 <sup>th</sup> .	
White Wagtail	Motacilla alba	
1-2 birds seen at 10 sites, with a max. of 50 at Shisr Farms on 11th.		
Tawny Pipit	Anthus campestris	
4 at Shisr Farms on 11 <sup>th</sup> , 1 at Ayn Hamran on 17 <sup>th</sup> .		
Long-billed Pipit	Anthus similis	
Subspecies arabicus occurs. 1 at Ayn Hamran on 17 <sup>th</sup> .		
Tree Pipit	Anthus trivialis	
1-3 seen at 6 sites including Hilf, Muntasar Oasis and Shisr Fields.		
Red-throated Pipit	Anthus cervinus	
3 at Hilf on 9 <sup>th</sup> .		
Arabian Golden-winged Grosbeak Rhynchostruthus percivali		
3 at Ayn Tobruk junction on 17th.		
Yemen Serin	Crithagra menachensis	
3 at Atair Sink Hole on 16 <sup>th</sup> .		
Ortolan Bunting	Emberiza hortulana	
1 singing at Mudayy on 12 <sup>th</sup> (heard only).		
Striolated Bunting	Emberiza striolata	
5 at Wadi Bani Habib on 7th.		
Cinnamon-breasted Bunting	Emberiza tahapisi	
Common in the Dhofar foothills, e.g. Ayn Razat, Ayn Hamran, Wadi Kheesh & Ayn Tobruk junction.		



#### Mammals

#### Total number of mammals recorded: 4 species

#### Indian Ocean Humpback Dolphin Sousa plumbea

Seen well at Taqah.	
Spinner Dolphin	Stenella longirostris
Seen from pelagic trip off Mirbat.	
Common Dolphin	Delphinus delphis
Seen from pelagic trip off Mirbat.	
Red Fox	Vulpes vulpes
1 seen well near Ayn Hamran.	

#### **Reptiles & Amphibians**

#### Total number of reptiles and amphibians recorded: 5+ species

Green Sea Turtle	Chelonia mydas	
Seen from pelagic trip off Mirbat.		
Loggerhead Sea Turtle	Caretta caretta	
Seen from pelagic trip off Mirbat.		
Hawksbill Sea Turtle	Eretmochelys imbricata	
Seen from pelagic trip off Mirbat.		
Olive Ridley Sea Turtle	Lepidochelys olivacea	
Seen from pelagic trip off Mirbat.		
Dhofar Desert Agama	Pseudotrapelus dhofarensis	
Recorded at Filim and other sites further south		
We also recorded several unidentified lizards and a toad species, thought to be		

Dhofar Toad Duttaphrynus dhufarensis.

Blue Pansey Junonia orithya

**Butterflies & Dragonflies** 

Plain Tiger Danaus chrysippus

Slender Skimmer Orthetrum sabina

